



6F-2, No.51, Sec.1, MinSheng E.Rd • Taipei 104 • Taiwan (R.O.C.)

Tel: 886-2-25652004 • Fax: 886-2-2551-5250 • E-mail: sales@temstron.com

承 認 書



SPECIFICATION FOR APPROVAL

Version: REV.A1

客 戶

Customer: Oxygen Electronics

客戶料號

Customer's P/N: 707VXA062AO


品 名

Description: A062

出貨日期

Date & Version: 2013.05.10

出圖			承認
DRAWING			CUSTOMER APPROVAL
製表	審核	批准	 Mark PASDON
Prepared By	Checked By	Approved By	
Zhong Yu Hong	Wang Hai Long	Lu Xian Chuan	
DATE :	2013-05-10	DATE: 5/10/13	



6F-2, No.51, Sec.1, MinSheng E.Rd • Taipei 104 • Taiwan (R.O.C.)


Tel: 886-2-25652004 • Fax: 886-2-2551-5250 • E-mail: sales@temstron.com

Specification

客 戶 Customer	Oxygen Electronics	型號 P/N	A062
用 途 Application		日期 Date	2013.05.10

1) Dimension: (Unit : MM)

2) Connection :



Items	N1	N2	N3	N4
Winding	6-4	3-1		
Turns	59T	148T		
Wire	20EW Φ 0.12			

3) Electric Characteristics :

Frequency Variable	Unloaded(Q)	L location	Capacity(out)	Remark
252KHz				
$L_{13}: 1\text{MH} \pm 6\%$ Min	$Q_{13} \geq 50$ Min	1-3		

(1) . Touque: 45-300g/CM

(2) .Operation Temp: -25°C ~ +85°C , Humidity: 25% ~ 85%.

(3) .Storage Temp:-40°C ~ +70°C ; Humidity:45% ~ 75%RH.

DESIGNED BY	CHECKED BY	APPROVED BY
ShoYin Wang	XiaoDong Cian	ChoKai Chang



6F-2, No.51, Sec.1, MinSheng E.Rd • Taipei 104 • Taiwan (R.O.C.)

Tel: 886-2-25652004 • Fax: 886-2-2551-5250 • E-mail: sales@temstron.com

CUSTOMER(客戶)	Oxygen		COLOR CODE(色標)		Black	
CUST P/N(客戶編號)	707VXA062AO		FORM(形式)		10TM	
P/N(編號)	A062		VERSION(版本)		A	
Test Frequency 測試頻率	252KHz		Test voltage 耐壓			
Test Temperature 測試溫度	23 度		relative humidity 相對濕度		65 度	
Test Equipment 測試儀器	QBG-3E		Quantity 數量		10PCS	
F13: 252KHz L:1MH±6% Min Q:50 Min						
ITEM	F 上	F 下	Q	F 上	F 下	Q
1	0.87	1.21	88			
2	0.89	1.22	89			
3	0.87	1.21	87			
4	0.89	1.2	87			
5	0.86	1.21	88			
6	0.88	1.22	89			
7	0.89	1.21	87			
8	0.86	1.22	87			
9	0.88	1.2	89			
10	0.87	1.22	87			
Average	0.876	1.211	87.8			
DRAWN	HM,Liu	CHECKED	XY,Yong	APPROVED	XY, Wang	