

MISSILE COMMAND SPECIFICATION

CONNECTOR, RECTANGULAR, ELECTRICAL
RACK AND PANEL, 26, SIZE 20 SOLDER SOCKET CONTACTS

The complete requirements for procuring the items described herein shall consist of this document and the issue in effect of MIS-20074.

REQUIREMENTS

Design and construction. The device shall be of the design, construction and physical dimensions specified in Figures 1 or 2.

Contacts. Solder type, closed entry socket.

Mating connector. MIS-20074/2.

Part number. See Table I.

Suggested source of supply.

Continental Connector Corp.
CAGE Code 95238
53 LA France Avenue
Bloomfield, NJ 07003
Manufacturer Part No. See Table I.

Source information is for the convenience of the procuring activity. It is not to be construed as restricting qualified sources of procurement..

Table I.

| Part Number | Figure | Manufacturer Part No. |
|-----------------|--------|-----------------------|
| MIS-20074/3 | 1 | U500-6-26SSK29-50NI |
| MIS-20074/3-002 | 2 | U500-6-26SSK29-2-50 |

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Last page identification. The last page of this specification is identified by an asterisk (*) immediately to the right of the last page number.

CUSTODIAN:

Army (MI)

PREPARING ACTIVITY:

U.S. Army Missile Command
Redstone Arsenal, Alabama
Rev E released IAW MI-M9235,
pages 1 thru 4, 17 June 2003





FIGURE 1 - DESIGN AND CONSTRUCTION



NOTE: MIS-20074/3-002 is configured to be used with part number 11463582-2.

FIGURE 2 - DESIGN AND CONSTRUCTION