

# Hardware

For miniature switches

- Standard hardware is automatically supplied with the switches
- Non standard hardware is to be ordered separately

UG1410A



**Hardware supplied with sealing options :**

- K version : 2 hex nuts + sealing washer
- X408 option : 1 hex nut + 1 O-ring

**STANDARD HARDWARE FOR SWITCHES Ø 6 (.236) - 5000 SERIES**

HEX NUT	LOCKING RING	LOCKWASHER
<p>Ø6.00 x 0.75 SI (.236 DIA x 0.75SI)</p>	<p>Ø6.10 (.240 DIA)</p> <p>Ø9.50 (.374 DIA)</p> <p>Ø6.50 (.255 DIA)</p>	<p>Ø9.50 (.374 DIA)</p> <p>Ø6.50 (.255 DIA)</p>
Nickel plated Black	Nickel plated Black	Stainless steel
<b>U208</b> <b>U726</b>	<b>U198</b> <b>U728</b>	<b>U215</b>

**NON STANDARD HARDWARE FOR SWITCHES Ø 6 (.236) - 5000 SERIES**

KNURLED NUT	SPECIAL NUT 12 (.472) ACROSS FLATS	KNURLED CAP NUTS
<p>Ø9.00 (.354 DIA)</p> <p>2.20 (.086)</p> <p>Ø6.00 x 0.75 SI (.236 DIA x 0.75SI)</p>	<p>12.00 (.472)</p> <p>2.00 (.086)</p> <p>Ø6.00 x 0.75 SI (.236 DIA x 0.75SI)</p>	<p>Ø9.00 (.354 DIA)</p> <p>2.70 (.106)</p> <p>Ø12.00 (.472 DIA)</p> <p>2.60 (.102)</p> <p>Ø6.00 x 0.75 SI (.236 DIA x 0.75SI)</p> <p>Ø6.00 x 0.75 SI (.236 DIA x 0.75SI)</p>
Chrome plated	Chrome plated	Chrome plated Black
<b>U826</b>	<b>U1916</b>	<b>U461</b> <b>U502</b>
		Chrome plated <b>U232</b>

**STANDARD HARDWARE FOR SWITCHES Ø 6,35 (1/4) - ALL SERIES**







HEX NUT	LOCKING RING	LOCKWASHER
<p>8.00 (.314)</p> <p>1.60 (.062)</p> <p>Ø6.35-40UNS (1/4-40UNS)</p> <p>Ø9.60 (.377 DIA)</p> <p>5.20 (.204)</p> <p>Ø6.50 (.255 DIA)</p>	<p>Ø9.60 (.377 DIA)</p> <p>5.20 (.204)</p> <p>Ø6.50 (.255 DIA)</p> <p>Ø9.50 (.374 DIA)</p> <p>Ø6.50 (.255 DIA)</p>	<p>Ø9.50 (.374 DIA)</p> <p>Ø6.50 (.255 DIA)</p>
Nickel plated Black	Nickel plated Black	Stainless steel
<b>U76</b> <b>U94</b>	<b>U78</b> <b>U93</b>	<b>U215</b>

**HARDWARE SUPPLIED (unsealed types)**

SERIES	HEX NUT	LOCKING RING	LOCKWASHER
SF	2	1	1
11000	2	1	1
13000	2	1	1
18000-8000-SP	2	1	1
21000N	2	-	-
5000	2	1	1
9400-9600	2	-	1







The company reserves the right to change specifications without notice.

## NON STANDARD HARDWARE FOR SWITCHES Ø 6,35 (1/4) - ALL SERIES

<p><b>KNURLED NUT</b></p>  <p>Nickel plated <b>U369</b></p>	<p><b>KNURLED NUT</b></p>  <p>Nickel plated <b>U229</b> Black <b>U230</b></p>	<p><b>KNURLED NUT</b></p>  <p>Chrome plated <b>U501</b></p>
<p><b>KNURLED CAP NUT</b></p>  <p>Chrome plated <b>U216 *</b> Black <b>U218</b></p>	<p><b>KNURLED CAP NUT</b></p>  <p>Chrome plated <b>U268 *</b> Black <b>U725</b></p>	<p><b>DRESS NUT</b></p>  <p>Nickel plated <b>U443</b> Black <b>U848</b></p>

\* U216 and U268 : consult factory for mounting on 11000 three and four pole, and 5000 locking lever models.

## OTHER HARDWARE FOR SWITCHES Ø 6,35 (1/4) - ALL SERIES


<p><b>CONIC CAP NUT</b></p>  <p>Nickel plated <b>U500</b></p>	<p><b>CONIC NUT</b></p>  <p>Chrome plated <b>U542</b> Nickel plated <b>U561</b></p>	<p><b>SEALING WASHER</b> for keyway bushing</p>  <p><b>U360</b></p>
<p><b>SPECIAL LOCKING RING</b> Spacing 6,2 mm (.244)</p>  <p>Nickel plated <b>U368</b></p>	<p><b>SPECIAL LOCKING RING</b> Spacing 4,75 mm (.187)</p>  <p>Nickel plated <b>U409</b></p>	<p><b>SEALING WASHER</b> for flatted bushing</p>  <p><b>U5141</b></p>

# Hardware

For miniature switches


## STANDARD HARDWARE FOR SWITCHES Ø 10 (.393) - 10400 AND 10600 SERIES

**KNURLED CAP NUT**  
(std for 10600)




Chrome plated  
**U2220**

**KNURLED NUT**  
(std for 10400)




Nickel plated  
**U2311**

**HEX NUT**




Nickel plated  
**U842**

**LOCKING RING**



Nickel plated  
**U844**


**LOCKWASHER**



Zinc plated steel  
**U843**


## STANDARD HARDWARE FOR SWITCHES Ø 11,9 (15/32) - 12000, 13000X768 AND 5600M SERIES

**HEX NUT**



Nickel plated  
Black  
**U162**  
**U41**

**LOCKING RING**




Nickel plated  
Black  
**U121**  
**U12**

SERIES	HARDWARE SUPPLIED	
	HEX NUT	LOCKING RING
12000	2	1
13000X768	1	-
5600M	2	1
8000X718	2	1


## NON STANDARD HARDWARE FOR SWITCHES Ø 11,9 (15/32) - 12000, 13000X768 AND 5600M SERIES

**KNURLED NUT**




Nickel plated  
Black  
**U53**  
**U1634**

**KNURLED CAP NUTS**




Chrome plated  
**U124**



Chrome plated  
**U123**


**LOCKWASHER**



Zinc plated steel  
**U13**

## HARDWARE FOR SWITCHES Ø 16


**KNURLED NUT**



**U3327**


## OTHER HARDWARE

**SEALING WASHER**



**U60**

## WRENCHES








Available for some accessories.  
Consult factory.


# Hardware

For industrial switches

- Standard hardware is indicated by darkened boxes.  
For details of hardware supplied, please refer to beginning of each series.
- Special hardware is to be ordered separately.

NUTS	Bushing Ø 11,9 (15/32) thread 0,794-32UNS Series 3500 - 6000			Bushing Ø 12 (.472) thread 0,75 Series IB/IS - IP - 660 - 600H - 600NH 1000 - 1200 - 1500 - 1600 - 1700 - 3600 - 4000		
	Chrome plated brass	Nickel plated brass	Black brass	Chrome plated brass	Nickel plated brass	Black brass
		<b>U53</b>	<b>U1634</b>	<b>U412</b>	<b>U411</b>	<b>U413</b>
	<b>U92</b>	<b>U162</b>	<b>U41</b>	<b>U212</b>	<b>U166</b>	<b>U183</b>
				<b>U35</b>		
					<b>U42</b> (passive zinc plated steel)	
	<b>U123</b>			<b>U117</b> $\alpha = 8,5 (.334)$ <b>U118</b> $\alpha = 10,3 (.405)$		<b>U129</b> $\alpha = 8,5 (.334)$ <b>U130</b> $\alpha = 10,3 (.405)$

## INSULATED NUT U520

	For threaded bushing Ø 12 (.472) x 0,75 IS Series 1500 - 4000 - 600NH - 6-600NH								
	Blue	Black	Green	Grey	Yellow	Red	White	Chrome plated	Orange
	ABS or polyamide with glass fibre	<b>U521</b>	<b>U522</b>	<b>U523</b>	<b>U524</b>	<b>U525</b>	<b>U526</b>	<b>U527/1</b>	<b>U528</b>

The locking ring U121 (nickel plated) or U12 (black) is only provided with tropicalized switches version T or G and with series 3500 - 6000.


The lockwasher U13 must be ordered separately, except for series 660, 3500 and 6000.

# Hardware

For industrial switches


## HARDWARE FOR SWITCHES Ø 12 (.472) AND 11,9 (15/32)

### LOCKING RING




Nickel plated **U121**  
Black **U12**

### LOCKWASHER




Zinc plated steel **U13**

### SEALING WASHER




Stainless steel and neoprene **U60**

### SEALING WASHER FOR BOOTS




Nylon **U21**

### GROUND CONNECTOR



Nickel plated **U187**


### LOCKWASHER



Zinc plated steel **U14**


## PLATES FOR SWITCHES Ø 12 (.472) AND 11,9 (15/32)

### Marche - arrêt




**U17**

### ON - OFF




**U19**

### EIN - AUS



**U99**


### I - 0



**U1050**

### CONNECTING SCREW


Supplied with the switches



**U03**


## HARDWARE FOR AV SERIES (ANTI-VANDAL AND SECURITY PUSHBUTTON SWITCHES)

HEX NUT FOR MODELS Ø 16 (.629)




10-621

KNURLED NUT FOR MODELS Ø 16 (.629)



10-960-5


KNURLED NUT FOR MODELS Ø 19 (.748)



U1977-5


Wrench for nut U1977-5 available under part number **U1929**.

HEX NUTS FOR MODELS Ø 19 (.748)




10-855-5

HEX NUTS FOR MODELS Ø 22 (.866)



10-856-5

HEX NUT FOR MODELS Ø 24 (.944)



U2059-5

All above nuts are made of nickel plated brass.  
For switches with front panel sealing (option K), a neoprene O-ring is supplied with each nut.